



Environmental Health Division
Indoor Air Unit

Radon Mitigation Service Providers

What to Look for in a Radon Mitigation Contractor

Minnesota does not require radon mitigation contractors to be licensed, nor is there any oversight of mitigation work performed. Some things you should consider when looking for a contractor to mitigate your home are listed below:

- Will the contractor guarantee that radon levels will be brought to below the Environmental Protection Agency's (EPA) recommended action level of 4.0 picoCuries per liter?
- How will the system be evaluated?
- Will the contractor perform diagnostics to determine suction point location and pipe and fan size?
- What will the contractor do if post mitigation radon levels are not below the EPA's recommended action level?
- Can the contractor provide a list of references?
- Is the quoted price guaranteed?
- Is a contract provided?
- Will the contractor offer the homeowner training in radon mitigation system operation/troubleshooting?
- Is there a warranty on materials/workmanship?
- Who is responsible for obtaining permits, if required?
- Who will do the licensed electrical work?

What to Look for in a Quality Radon Mitigation System

Even though all Minnesota listed contractors have gone through the appropriate training, are a member of a national certification program, and also report their work to the state, not all systems are created equal. Here are some key features to look for:

- The fan **SHALL** be located outside of the living space. This means in the attic of the house or garage, or outside on the side of the house; never in the living area itself.
- If the exhaust point is through the roof, with the fan located in the attic, the exhaust needs to end a minimum of 12 inches above the roof.
- If the exhaust point is on the side of the house, it needs to meet the following criteria:
 - be above the eave of the roof,
 - be 10 feet or more above ground level,
 - be 10 feet or more from any window, door, or other opening into conditioned spaces of the structure that is less than two feet below the exhaust point,
 - be 10 feet or more from any opening into an adjacent building.
- Any pipe runs through unconditioned spaces (attics or garages for example) should be insulated to minimize condensation.
- The vent pipe shall be supported every 6 feet on horizontal runs and every 8 feet vertically.
- The vent pipe shall be supported or secured permanently to avoid falling into the suction pit.
- Any horizontal runs of pipe shall be sloped slightly back to the suction pit to ensure rain and condensation can flow back to the pit.
- Any visible cracks or holes in the foundation should be permanently sealed. This will allow the system to be more effective and efficient.
- The system shall have a performance indicator that is visible and easy to read.
- The system shall be labeled with the date of installation, contractors name, and initial pressure reading in the pipe.

Radon Contractor Certification

Minnesota does not require radon mitigation contractors to obtain certification or licensure. Although it is not required, a voluntary certification does indicate that the individual has received radon mitigation training and has taken continuing radon education. Both the National Environmental Health Association (NEHA) and the National Radon Safety Board (NRSB) have voluntary certification programs for radon mitigation contractors. For more information regarding the requirements of these certifications, information regarding a specific listed contractor, or an updated list of certified professionals, please contact NEHA or NRSB directly.

National Environmental Health Association: (800) 269-4174 or <http://www.neha.org>

National Radon Safety Board: (866) 329-3774 or <http://www.nrsb.org>

Minnesota Radon Mitigation Service Providers

A new requirement to state listing is the voluntary reporting of radon mitigation work to MDH. To be listed, MDH requires quarterly reports to be submitted. These reports allow MDH to better determine the amount of risk reduction achieved by tracking the amount of mitigations being performed throughout the state.

The following list includes individuals who provide radon mitigation services within Minnesota, have current contact information, are currently certified as a radon mitigation professional by NEHA or NRSB and have reported their work to MDH.

Minnesota Radon Mitigation Service Providers

This list does not imply endorsement of any of the listed companies or individuals.

Contractor	Voluntary Certification	Address	Phone	Service Area
The following contractors are certified by either NEHA or NRSB and report to MDH.				
Brian Smith	NEHA 104666RMT	Accurate Radon Services 15113 – 301 st Ave NW Princeton, MN 55371	612-819-0979	Statewide & Eastern WI
Scott Pomeroy	NEHA 104664RMT	Accurate Radon Services 10216 Fallgold Pkwy N Brooklyn Park, MN 55443	612-247-6661	Statewide & Eastern WI
Walt Fitzmaurice	NEHA 103489RMT	Advanced Radon Services 5428 – 14 th Ave S Minneapolis, MN 55417	952-270-5081 www.radonfree.com	Statewide
Mark Janni	NEHA 103194RMT	Ahrens Heating, Inc. 1227 S Broadway New Ulm, MN 56073	507-354-2217	30 mile radius
Daniel Hylland Gerhard Hylland	NEHA 104299RMT 104403RMT	Athelon Enterprises PO Box 6001 Rochester, MN 55903	507-269-9934 www.athelonenterprises.com	Southeastern
Bruce Bauer	NEHA 103902RMT	Bauer Restoration, Inc. 1019 Mitchell Dr Faribault, MN 55021	507-333-9838 cell: 952-200-3436 www.bauerrestoration.com	Statewide
Brad Dieringer	NEHA 104089RMT	1493 Carroll Ave St. Paul, MN 55104	612-685-2690	Statewide

Contractor	Voluntary Certification	Address	Phone	Service Area
Rodney Kaiser	NEHA 104541RMT	Certified Inspection Services 508 Lincoln St N Atwater, MN 56209	320-237-1155	
Val Riedman	NEHA 103414RMT	Croix Valley Radon Mitigation 2551 - 190th St Luck, WI 54853	1-888-481-6870 cell: 715-554-0460 www.radonrx.com	Eastern MN & Western WI
Ed Pelto	NEHA 104099RMT	Ed's Heating and Air, Inc. 1099 Pelto Path Woodbury, MN 55129	651-775-7490	40 mile radius
Mark Anderson	NEHA 103362RMT	Ellingson Plumbing, Heating & AC 2510 Broadway St S Alexandria, MN 56308	320-762-8645 www.ellingsons.com	75 Miles
Robert Worth Frank	NEHA 100496RMT	Energy & Environmental Services, Inc. 1608 Hague Ave St. Paul, MN 55104	651-646-3470	150 mile radius
Greg Yankowiak	NEHA 103770RMT	Englewood Ent 2116 – 213th Ave Mora, MN 55051	1-888-989-2534	100 mile radius
Joseph Gould	NEHA 103858RMT	Gould Construction 712 – 2nd St SE Wadena, MN 56482	218-445-5424	50 mile radius
Sharon Oleson	NEHA 104343RMT	Green Home Inspections & Remediation PO Box 22473 Robbinsdale, MN 55422-0473	612-522-3082 www.greenhomeinspections.com	
Robert Carlson Eric Carlson William Carlson	NEHA 103015RMT 104214RMT 104243RMT	Healthy Homes LLC 130 – 16th Ave S St. Cloud, MN 56301	320-310-6858 1-866-900-4464 www.healthyhomesradon.com	Statewide
Robert Carlson	NEHA 103015RMT	Healthy Homes LLC 16526 W 78th St. Apt. 156 Eden Prairie, MN 55346	952-220-9409 1-866-900-4464 www.healthyhomesradon.com	Statewide
Robert Carlson	NEHA 103015RMT	Healthy Homes LLC 674 Nebraska Ave E St. Paul, MN 55106	952-220-9409	Statewide
Fran Hira	NEHA 104358RMT	Home Radon Control 1378 Valley View Ct West St. Paul, MN 55118	651-278-5205 www.Homeradoncontrol.com	Eastern Metro
Greg Comer	NEHA 104324RMT	Home Safety Solutions 17092 Barium St NW Andover, MN 55304	612-685-9999	Statewide
Walter Donnay	NEHA 104322RMT	Home Safety Solutions 17092 Barium St NW Andover, MN 55304	763-434-3263	Statewide

Contractor	Voluntary Certification	Address	Phone	Service Area
Chad Spencer	NEHA 103523RMT	Home & Radon Solutions 4349 Cody St Red Wing, MN 55066	651-388-1994 www.homeandradonsolutions.com	70-75 mile radius
Michelle Knutson	NEHA 103470RMT	K –Builders PO Box 365 2050 - 301st Ave Dawson, MN 56232	320-769-4415	Statewide
Justin Strain	NEHA 103416RMT	K & S Heating, A/C, Plumbing, Electrical 4205 Hwy 14 West Rochester, MN 55901	507-282-4328 www.ksheating.com	Southeast
Scott Hunke	NEHA 104649RMT	Lakes Area Radon Service 728 James Circle Dr SW Alexandria, MN 56308	320-815-0474 320-846-4668	Statewide
Greg High	NEHA 103805RMT	Northern Comfort, Inc. 917 South Bend Ave Mankato, MN 56001	507-387-6596	30 mile radius
Kyle Raverty	NEHA 103815RMT	Omni Environmental, Inc. 1014 Bel Air Ln NW Rochester, MN 55901	507-252-0945 www.omnienvironmental.net	Statewide
Ty Adams	NEHA 103409RMT	Patriot Service Network 11188 Zealand Ave N Lower Unit Champlin, MN 55316	612-522-1776 www.patriotservicenetwork.com	
Brian Delmore	NEHA 103059RMT	Professional House Doctors 22880 Orchid Ave Rogers, MN 55374 and 6448 State Hwy 27 Wahkon, MN 56386	1-800-694-6370 763-428-2880 www.prohousedr.com	Statewide
Mark Guy	NEHA 103473RMT	Quality Heating & Air Services, Inc. 12912 Ventura Ct., Suite 21 Shakopee, MN 55379	952-403-1110 www.quality-heating.com	25 mile radius
Richard Blakeman	NEHA 103639RMT	R & R Plumbing Heating and Air 16155 State Hwy 29 Glenwood, MN 56334	320-634-3608	75 mile radius
Jack Bartholomew	NEHA 102153RMT	Radon, Energy and Ventilation Services 3202 – 38 th Ave S Minneapolis, MN 55406	612-721-8762	Statewide
Jeff Engen	NEHA 104334RMT	Radon Mitigation Services/ Engen Construction Inc. 210 N. Locust St Mabel, MN 55954	507-493-5252	60 mile radius
Gary Vaness	NEHA 104155RMT	Radon Reduction, Inc. 5631 Glen Ave Minnetonka, MN 55345	952-220-5002	50 mile radius
Will Rogers	NEHA 102909RMT	Radon Relief 1564 – 17 th Ave NW New Brighton, MN 55112	651-428-4377 http://radonrelief.net	100 mile radius

Contractor	Voluntary Certification	Address	Phone	Service Area
Randy Weestrand Dean Sulander	NEHA 100774RMT 103504RMT	Radon Removal, Inc. 525 Orchard Park Rd Long Lake, MN 55356	952-476-6226 www.fixradon.com	250 mile radius
Andrew Kelley	NEHA 104292RMT	Radon Solutions 1025 Adams St Mankato, MN 56001	507-351-2413	45-60 mile radius
Scott Nuthak	NEHA 104445RMT	Rad-X PO Box 819 International Falls, MN 56649	218-324-2888	
Alan Rasmussen	NEHA 102735RMT	Raz's Home Maintenance 12411 - 400th St North Branch, MN 55056	651-329-3644	50 mile radius
Robert Buck	NEHA 103831RMT	RLB Properties 13416 Morgan Ave S Burnsville, MN 55337	612-419-6994	50 mile radius
Lawrence Narikawa	NEHA 104064RMT	Safety/Protection Services, Inc. 12781 - 206th Ave NW Elk River, MN 55330	763-441-8441	30 mile radius
Joseph Splett	NEHA 104224RMT	Splett Plumbing 43734 - 62nd St Waterville, MN 56096	507-267-4442	50 mile radius
Michael Hogenson	NEHA 103492RMT	Standard Water Control Systems, Inc 5337 Lakeland Ave N Crystal, MN 55429	763-537-4849 http://standardwater.com	Greater Metro Area
Thor Wiebe	NEHA 103224RMT	Thor Wiebe Home Inspections 903 Boxelder Marshall, MN 56258	507-537-1956 507-530-2004	150 mile radius
Chris Reyerson	NEHA 101347RMT	Valley Radon Mitigation 431 Morrison St West Fargo, ND 58078	701-866-8901	Western & Northern
Rick Hazelwood	NEHA 103615RMT	Voss Testing Laboratory 316 E Hoffman St Paynesville, MN 56362	320-243-3644 www.vossplumbing.com	100 mile radius

* as of the printing date of this fact sheet

For more information on radon mitigation or other indoor air quality concerns, please contact:

**Minnesota Department of Health
Indoor Air Unit**

625 Robert Street North
PO Box 64975 St. Paul, MN 55164-0975
phone: (651) 201-4601, toll free: (800) 798-9050
fax: (651) 201-4606
Online: www.health.state.mn.us/divs/eh/air

For information regarding radon mitigation courses in your area, please contact:

Midwest Universities Radon Consortium

University of Minnesota
College of Continuing Ed.
352 Classroom Office Building,
1994 Buford Avenue St. Paul, MN 55108
Phone: (612) 624-6251
fax: (612) 624-6225
E-mail: conferences6@cce.umn.edu Online:
<http://www.cce.umn.edu/series/radon>